

CivilFEM Class3 Error report

ERROR NO: 2009-009

TECH. ID: 2009-553

First incorrect version: 8.0

Corrected in: 12.0 SP1

Description of Error:

Calculation of average final crack spacing in EHE code is wrong. The effective reinforcement ratio is not multiplied by the reinforcement diameter.

Keywords:

EHE

GUI Access: Main Menu > Civil Postprocessor > Code Checking > EHE > CHECK BY CODE: Beams & Solid

Suggested User Action For Running on Uncorrected Version:

Multiply the effective reinforcement ratio by the diameter in the cross section code properties.

Comments:

Author:

Date:

Signature:

Corrected by: Eduardo Salete Casino

05/10/2009

Reviewed by: Román Martín

23/10/2009

Approval: Eduardo Salete Casino

18/11/2009